



NACARSOFT ADABAS SUITE

nsdeploy

Natural Software Deploy

Automated deployment of Natural objects across ADABAS environments.
Web-based, secure, with full traceability of every deployment.

[SEE FEATURES →](#)

For Natural teams · ADABAS · SYSOBJH

THE PROBLEM

Deploying Natural objects shouldn't be so complex



Manual processes

Hand-run SYSOBJH transfers: loose commands, repetitive steps and human errors.



No traceability

Nobody knows for sure what was deployed, when, to which environment or by whom.



Slow and costly

Every deployment eats hours of operations work and blocks the team.



Inconsistent environments

DEV, TST and PRD drift apart through uncontrolled, non-reproducible processes.


Does this sound familiar?

THE SOLUTION

nsdeploy

Web platform for continuous deployment of Natural objects on ADABAS:
build packages, browse FUSER libraries, transfer and deploy in one click.

- ✓ **Full automation** of the pipeline: compile, transfer and deploy
- ✓ **Complete traceability** of every action: who, what, when and result
- ✓ **Multi-environment** DEV → TST → PRD with independent configurations
- ✓ **Access control** through roles, groups and granular permissions



FEATURES

Everything you need to deploy with confidence



Package Manager

Packages with automatic ID, ticket and objects grouped by library.



RBAC

Users, groups, roles and granular permissions.



FUSER Explorer

SRC/GP library tree with search and filters.



Security

Secure sessions, encrypted passwords and managed SSH keys.



Deploy Pipeline

Compile, transfer (SSH) and deploy in a single click.



Multi-environment

DEV, TST, PRD with independent configurations.



Audit

Immutable record of every deployment and action.



Multi-language

EN/ES interface with 7 visual themes.

PACKAGES

Package management

Each package is a complete deployment unit: identifiable, organised and traceable.

Automatic ID

20260804_LIB1_4F2A9C

date · creator alias · unique suffix

Objects by library

Grouped with persistent custom order (▲ ▼).

Flexible import

Paste LIB= lists from logs or import from the FUSER tree.

Integrated ticket

External ticket code (JIRA, ServiceNow) on every package.

Integrity control

Dependencies and objects verified before deploying.

Explore the Natural file system

Environment library tree with level-by-level expansion

SRC / GP indicators on every module (source and generated)

Object types: NSP program · NSM map · NSS subroutine · NSC
copycode

NS7 dialog · NSA adapter · NSD ddm

Search by library or module and filter by type

Per-environment cache with automatic warm-up (or always fresh)

Library Browser

TST · FUSER

▶	LIB3	4
▼	LIB1	6
▶	prog1	pro
▶	prog2	map
▶	prog3	sub
▶	LIB2	5
▶	LIB4	3

✓ 3 modules · 3 libraries

PIPELINE

Four steps, one click



Create Package

Select objects from the FUSER tree and generate the package with its automatic ID.

Configure Environment

SSH server, FUSER paths, NATPARM, SAGENV and buffer pools.

Deploy

Compiles with Natural, transfers and deploys via SYSOBJH.

Audit

Logs, status, history and email notifications.

EN/ES multi-language · Email notifications · Real-time dashboard

INTEGRATION

Natural / ADABAS deployment

Generates and runs SYSOBJH scripts automatically

SSH connection with keys managed from the UI

Configurable parameters: NATPARM, SAGENV and buffer pools

Local or remote execution (sagenv + natural -batch)

SCANALL: full library verification before upload

Natural / ADABAS environments



DEV

DBID 150

Development



TST

DBID 200

Testing



PRD

DBID 300

Production

Secure transfer via SSH / SCP

Access control and security

RBAC — Role Based Access Control



Predefined roles

	Admin	12 permissions · full management
	Deployer	5 permissions · deploy and read
	User	3 permissions · basic access

Security features

- ✓ Hashed passwords (bcrypt)
- ✓ Sessions with automatic expiration
- ✓ SSH keys managed from the UI
- ✓ Immutable audit logs
- ✓ Password recovery by email
- ✓ Permission middleware across the whole API

CONFIGURATION

Frictionless environments and configuration



DEV

Development

- ✓ Server and FUSER paths
- ✓ Own SSH keys
- ✓ Active cache



TST

Testing

- ✓ Execution buffer pools
- ✓ NATPARM / SAGENV
- ✓ Pre-validation



PRD

Production

- ✓ Restricted permissions
- ✓ Strict auditing
- ✓ No cache if required

Structured configuration editor in the web · No hand-edited YAML · Apply changes without restarting

Built for the day-to-day



Email notifications

SMTP with TLS/STARTTLS or sendmail. Result of every deployment instantly.



Password recovery

Expiring tokens sent automatically by email.



EN/ES multi-language

Full interface in both languages, instant switching.



7 visual themes

Dark, Light, Ocean, Forest, Sunset, High Contrast and Custom.



Real-time dashboard

Deployment status, history and filtered search.




Batch operations

Add and import objects grouped by library in a single call.

DASHBOARD

All your deployment status in real time



Package overview by status: draft, generated, deployed and failed

Recent packages with environment, status and direct access

Recent deployments with status and actions

Quick access to packages, deployments and configuration

PACKAGES

Build and manage packages from the web

Packages

Q Search...

All statuses

All sources

Sort by created

1-50 / 5002

Prev

Next

Packages

Name	Details	Ticket	User	Objects	Source	Status	Created	Actions
> EZE_20260807_TSTPRD	Prueba EZE TST->PRD TKT-EZE2	TKT-EZE2	admin	3	TST Test	failed system post failed - exit status 30	2026-08-07 12:49	SYSOBJH Deploy
> EZE_20260807_DESTST	Prueba EZE DES->TST (programs+co... TKT-EZE1	TKT-EZE1	admin	12	DEV Desarrollo	deployed	2026-08-07 12:46	SYSOBJH Deploy
> ADM_20260807_F461F7	Nueva pantalla de consulta de pólizas TKT-4478	TKT-4478	adm	11	DEV Desarrollo	generated	2026-08-07 00:00	SYSOBJH Deploy
> PEP_20260807_EC1C6D	Corrección en cálculo de retenciones ... TKT-5184	TKT-5184	pepe	26	DEV Desarrollo	generated	2026-08-07 00:00	SYSOBJH Deploy
> ADM_20260807_OFD52D	Baja de socios en el fichero general TKT-4933	TKT-4933	admin	13	DEV Desarrollo	generated	2026-08-07 00:00	SYSOBJH Deploy
> ADM_20260807_EF9911	Nueva utilidad de conciliación bancaria TKT-1576	TKT-1576	admin	21	DEV Desarrollo	deployed	2026-08-07 00:00	SYSOBJH Deploy
> PEP_20260807_19B6C6	Proceso de anulación de pólizas TKT-4839	TKT-4839	pepe	18	DEV Desarrollo	deployed	2026-08-07 00:00	SYSOBJH Deploy
> ADM_20260807_DFC3DE	Proceso de anulación de pólizas TKT-4935	TKT-4555	admin	39	DEV Desarrollo	draft	2026-08-07 00:00	SYSOBJH
> PEP_20260807_C787D1	Ajuste en el cálculo de comisiones TKT-1666	TKT-1666	pepe	13	DEV Desarrollo	generated	2026-08-07 00:00	SYSOBJH Deploy
> ADM_20260807_AD882C	Nueva utilidad de conciliación bancaria TKT-3764	TKT-3764	adm	18	DEV Desarrollo	deployed	2026-08-07 00:00	SYSOBJH Deploy
> ADM_20260807_084491	Baja de socios en el fichero general TKT-3146	TKT-3146	admin	31	DEV Desarrollo	draft	2026-08-07 00:00	SYSOBJH
> ADM_20260806_FF9492	Alta de oficinas con nuevo organigrama TKT-3684	TKT-3684	adm	13	TST Test	deployed	2026-08-06 00:00	SYSOBJH Deploy
> PEP_20260806_004208	Informe de siniestralidad por ramo TKT-4961	TKT-4961	pepe	32	DEV Desarrollo	failed localhost: Natural error M71045 - us...	2026-08-06 00:00	SYSOBJH Deploy
> ADM_20260806_FBCB6F	Nueva pantalla de reclamaciones TKT-1938	TKT-1938	admin	4	DEV Desarrollo	deployed	2026-08-06 00:00	SYSOBJH Deploy

Package list with automatic ID, ticket, user and object count

Filters by status and by environment: DEV, TST, PRD and UAT

Description and source environment of every package

Actions: view modules and deploy via SYSOBJH

DEPLOYMENT

Deploy in one click and follow every step

Deployments

PENDING0

RUNNING0

FAILED12

COMPLETED91

PendingHistory

Search package, descriptionAll targetsAll users1-50 / 103PrevNext

ID	Package	Details	Route	Status	Scheduled	Started/Finished	Executed By	Actions
DEP_20260807_E10F43	EZE_20260807_TSTPRD	Prueba EZE TST->PRD TST-4282	TST → PRD	failed	—	2026-08-07 12:51 (0s)	admin	Deploy
DEP_20260807_55A45E	EZE_20260807_TSTPRD	Prueba EZE TST->PRD TST-4282	TST → PRD	failed	—	2026-08-07 12:49 (0s)	admin	Deploy
DEP_20260807_8ECD2	EZE_20260807_DESTST	Prueba EZE DES->TST (programa+c... TST-4282	DEV → TST	completed	—	2026-08-07 12:48 (0s)	admin	Deploy
DEP_20260420_372A25	ADM_20260406_BEE2F5	Baja de socios en el fichero general TST-1774	TST → PRD	failed	2026-04-20 09:24	2026-04-20 09:24 (49s)	admin	Deploy
DEP_20260412_47B513	ADM_20260405_B14C83	Nuevo módulo de facturación electr... TST-1499	DEV → TST	failed	2026-04-12 15:12	2026-04-12 15:14 (1m 24s)	adm	Deploy
DEP_20260625_B6DCA0	PEP_20260617_7E53AC	Cambio en el tratamiento de impag... TST-1368	DEV → TST	failed	2026-06-25 17:10	2026-06-25 17:14 (47s)	pepe	Deploy
DEP_20251103_D19A40	PEP_20251101_08B98D	Informe de morosidad de cartera TST-4271	DEV → TST	failed	2025-11-03 07:52	2025-11-03 07:52 (16s)	pepe	Deploy
DEP_20241128_C06A24	PEP_20241115_A24A24	Corrección en proceso de facturación TST-2073	DEV → TST	failed	2024-11-28 17:53	2024-11-28 17:53 (19s)	adm	Deploy
DEP_20250827_48AEE6	PEP_20250821_9C8B4E	Informe de cartera vencida TST-4888	DEV → TST	failed	2025-08-27 18:44	2025-08-27 18:47 (1m 18s)	adm	Deploy
DEP_20251215_C08E11	ADM_20251211_EACCC7	Informe de recaudación por canal TST-3028	DEV → TST	failed	2025-12-15 11:15	2025-12-15 11:16 (1m 23s)	admin	Deploy
DEP_20241122_9C645D	ADM_20241114_499C62	Proceso de liquidación de siniestros TST-3017	TST → PRD	failed	2024-11-22 13:19	2024-11-22 13:21 (25s)	admin	Deploy
DEP_20241023_60350F	PEP_20241005_3F4E1C	Nueva versión del extracto de cuenta TST-1882	TST → PRD	failed	2024-10-23 15:19	2024-10-23 15:22 (58s)	admin	Deploy
		Nuevo módulo de facturación electr...						

Deployment history with ID, package, source, target and user

Filters by status, environment and user
Scheduled deployments with countdown and real duration

Log, load report and catalogation (CATALL) icons

PACKAGE DETAIL

Modules, SYSOBJH files and deployments in one view

Packages

Q. Search...

All statuses

All sources

Sort by created

1-50 / 5002

Prev

Next

+

Packages

Name	Details	Ticket	User	Objects	Source	Status	Created	Actions		
> E2E_20260807_TSTPRD	Prueba E2E TST->PRD 🔗 TKT-E2E2	TKT-E2E2	admin	3	TST Test	failed sysobj put failed - exit status 30	2026-08-07 12:49	SYSOBJH	Deploy	
> E2E_20260807_DESTST	Prueba E2E DES->TST (programs+co... 🔗 TKT-E2E1	TKT-E2E1	admin	12	DEV Desarrollo	deployed	2026-08-07 12:46	SYSOBJH	Deploy	
> PEP_20260807_EC1C6D	Corrección en cálculo de retenciones ... 🔗 TKT-5184	TKT-5184	pepe	26	DEV Desarrollo	generated	2026-08-07 00:00	SYSOBJH	Deploy	
> ADM_20260807_F461F7	Nueva pantalla de consulta de pólizas 🔗 TKT-4478	TKT-4478	adm	11	DEV Desarrollo	generated	2026-08-07 00:00	SYSOBJH	Deploy	
> ADM_20260807_DFC3DE	Proceso de anulación de pólizas 🔗 TKT-4555	TKT-4555	admin	39	DEV Desarrollo	draft	2026-08-07 00:00	SYSOBJH		
> PEP_20260807_C787D1	Ajuste en el cálculo de comisiones 🔗 TKT-1686	TKT-1686	pepe	13	DEV Desarrollo	generated	2026-08-07 00:00	SYSOBJH	Deploy	
> ADM_20260807_084491	Baja de socios en el fichero general 🔗 TKT-3146	TKT-3146	admin	31	DEV Desarrollo	draft	2026-08-07 00:00	SYSOBJH		
> ADM_20260807_AD882C	Nueva utilidad de conciliación bancaria 🔗 TKT-3764	TKT-3764	adm	18	DEV Desarrollo	deployed	2026-08-07 00:00	SYSOBJH	Deploy	
> PEP_20260807_19B6C6	Proceso de anulación de pólizas 🔗 TKT-4839	TKT-4839	pepe	18	DEV Desarrollo	deployed	2026-08-07 00:00	SYSOBJH	Deploy	
> ADM_20260807_EF9911	Nueva utilidad de conciliación bancaria 🔗 TKT-1576	TKT-1576	admin	21	DEV Desarrollo	deployed	2026-08-07 00:00	SYSOBJH	Deploy	
> ADM_20260807_0FD52D	Baja de socios en el fichero general 🔗 TKT-4933	TKT-4933	admin	13	DEV Desarrollo	generated	2026-08-07 00:00	SYSOBJH	Deploy	
> ADM_20260806_657BB2	Alta de clientes con nueva tipología 🔗 TKT-2384	TKT-2384	adm	6	DEV Desarrollo	failed loadshut: el fichero de carga no existe ...	2026-08-06 00:00	SYSOBJH	Deploy	
> PEP_20260806_004208	Informe de siniestralidad por ramo 🔗 TKT-4891	TKT-4891	pepe	32	DEV Desarrollo	failed loadshut: Natural error MAT005 -- us...	2026-08-06 00:00	SYSOBJH	Deploy	
> ADM_20260806_BE623A	Ajuste en el cálculo de comisiones 🔗 TKT-1484	TKT-1484	admin	14	DEV Desarrollo	deployed	2026-08-06 00:00	SYSOBJH	Deploy	

FUSER library browser with module selection and types

Buttons by status: Deploy, SYSOBJH Files and Create SYSOBJH

File tab: deployable file, its report and the put script

Package deployments with logs, reports and confirmed delete

DEPLOY DIALOG

Full options before deploying

The screenshot displays a 'Packages' management interface. At the top, there's a search bar and filters for 'All statuses' and 'All sources'. Below this is a table listing various packages with columns for Name, Details, Ticket, User, Objects, Source, Status, Created, and Actions. A modal dialog is open for the package 'E2E_20260807_TSTPRD'. The dialog has tabs for 'Deploy', 'Modules', and 'File'. The 'Deploy' tab is active, showing options for 'Target Environment' (set to 'TST Test'), 'Deploy Mode' (with radio buttons for 'Immediate deploy', 'Specific date & time', and 'Default schedule'), and a 'Next run' date. A green checkmark indicates 'modules will be cataloged'. The dialog also includes 'Cancel' and 'Deploy' buttons.

Name	Details	Ticket	User	Objects	Source	Status	Created	Actions
E2E_20260807_TSTPRD	Prueba E2E TST -> PRD	TKT - E2E2	admin	3	TST Test	failed	2026-08-07 12:49	[SYSOBJ] [Deploy]
E2E_20260807_DESTST	Prueba E2E DES -> TST (programa+co...)	TKT - E2E1	admin	12	DEV Desarrollo	deployed	2026-08-07 12:46	[SYSOBJ] [Deploy]
ADM_20260807_DFC3DE	Proceso de simulación de pólizas	TKT - 4555	admin	39	DEV Desarrollo	draft	2026-08-07 00:00	[SYSOBJ]
ADM_20260807_EF9911	Nueva utilidad de co...	TKT - 4556				deployed	2026-08-07 00:00	[SYSOBJ] [Deploy]
ADM_20260807_F461F7	Nueva pantalla de c...	TKT - 4559				generated	2026-08-07 00:00	[SYSOBJ] [Deploy]
PEP_20260807_EC1C4D	Corrección en calculo	TKT - 4560				generated	2026-08-07 00:00	[SYSOBJ] [Deploy]
ADM_20260807_DFD52D	Baja de socios en el	TKT - 4561				generated	2026-08-07 00:00	[SYSOBJ] [Deploy]
PEP_20260807_C787D1	Ajuste en el calculo	TKT - 4564				generated	2026-08-07 00:00	[SYSOBJ] [Deploy]
ADM_20260807_AD882C	Nueva utilidad de co...	TKT - 4564				deployed	2026-08-07 00:00	[SYSOBJ] [Deploy]
PEP_20260807_1986C6	Proceso de simulación	TKT - 4565				deployed	2026-08-07 00:00	[SYSOBJ] [Deploy]
ADM_20260807_084491	Baja de socios en el	TKT - 3146	admin	31	DEV Desarrollo	draft	2026-08-07 00:00	[SYSOBJ]
ADM_20260806_657BB2	Alta de clientes con nueva tipología	TKT - 2384	adm	6	DEV Desarrollo	failed	2026-08-06 00:00	[SYSOBJ] [Deploy]
PEP_20260806_004208	Informe de simulabilidad por ramo	TKT - 4601	pepe	32	DEV Desarrollo	failed	2026-08-06 00:00	[SYSOBJ] [Deploy]
ADM_20260806_856D1E	Alta de agentes comerciales	TKT - 3361	adm	5	DEV Desarrollo	generated	2026-08-06 00:00	[SYSOBJ] [Deploy]

Target environment, mode (immediate / date / schedule) and catalogation

Deployable file with its report and the load script (put script)

Target locked when the deployment is already defined

Clear notice of whether modules will be cataloged (CATALL)

EMAIL NOTIFICATIONS

Automatic notifications for every deployment


On scheduling: package, modules and load date

On execution: full result with log, loaded modules and CATAL

Notifies the user who created the deployment (optional) plus extra emails


Additional emails separated by ';' in the environment settings

Direct «View deployment» link and by nacarsoft.com signature



ENVIRONMENTS

Every environment with its full Natural configuration



FUSER, DIRDEV and Natural binary per environment


Load & catalogation: NATPARM, CATAL and batch stack

Notifications: notify the creator and additional emails

Local or remote (SSH) environments with deploy policies

CONFIGURATION

The whole server configured from the web



The screenshot shows a web-based configuration interface. On the left is a dark sidebar with a 'Configuration' header and a list of settings: Server (selected), Correo, Packages, Database, Cache, License, and Authentication. The main area is titled 'Server' and contains three input fields: 'Host' with the value '0.0.0.0', 'Port' with the value '8080', and 'URL base de nsdeploy (acceso directo)' with the value 'https://nsdeploy.nacarsoft.com'. Each field has a 'Save' button to its right. Below the URL field is a small note in Spanish explaining the URL's purpose.

Configuration

Server

Host

0.0.0.0

Port

8080

URL base de nsdeploy (acceso directo)

<https://nsdeploy.nacarsoft.com>

URL pública por la que se accede a nsdeploy (p.ej. <https://nsdeploy.nacarsoft.com>). Se usa en los enlaces de los correos y en el acceso directo al registro tras desplegar.

Public base URL for direct access after
deploying (proxy)

Mail: SMTP or sendmail with credentials
and sender

Database, cache, license and
authentication

INSTALLATION

Install and start nsdeploy in minutes

Requirements

Go 1.24+ to compile (or prebuilt Linux/amd64 binary)

Natural + ADABAS with SYSOBJH on the target environments

Access to each environment's FUSER (local or SSH)

Optional: SMTP account for email notifications



Compile

make build → produces build/nsdeploy



Configure

config.yaml in build/default (server, environments, mail)



Start

./run.sh start · stop · restart · status



Sign in

<http://localhost:8080> administrator login

CONFIGURATION

A single config.yaml defines server, environments and mail

server

host, port and public base URL (proxy)

auth

JWT, cookie and session expiry

database / cache

SQLite database path and FUSER cache

environments

per environment: FUSER, DIRDEV,
Natural, NATPARM, CATALL, schedule,
notifications

correo

SMTP or sendmail, sender and
credentials

packages

root directory, retention and max
packages

WEB CONFIGURATION

Environments, users, roles and mail from the UI

The screenshot displays the 'Configuration' interface with a dark sidebar on the left containing menu items: Server, Correo, Packages, Database, Cache, License, and Authentication. The main content area is titled 'Server' and includes a 'Save' button in the top right corner. It features three input fields: 'Host' with the value '0.0.0.0', 'Port' with the value '8080', and 'URL base de nsdeploy (acceso directo)' with the value 'https://nsdeploy.nacarsoft.com'. Below these fields is a small text block explaining the URL's purpose.

Configuration

Server

Host

0.0.0.0

Port

8080

URL base de nsdeploy (acceso directo)

<https://nsdeploy.nacarsoft.com>

URL pública por la que se accede a nsdeploy (p.ej. <https://nsdeploy.nacarsoft.com>). Se usa en los enlaces de los correos y en el acceso directo al registro tras desplegar.

Environments: Natural, load, catalogation and email notifications

Users, groups and roles with granular permissions (RBAC)

Configuration: server, mail (with test email) and base URL

Changes are saved to config.yaml without touching the server

NSDEPLOY IN ACTION

From package to PRD in one click

Automate the deployment of Natural objects on ADABAS and forget manual transfers.



Dashboard · real-time status

This page displays a detailed list of packages, including their name, version, status, and deployment details. The table includes columns for Package Name, Version, Status, Package Type, Package Size, and Deployment Date. The packages are listed in a table format, allowing for easy comparison and management.

Packages · real FUSER objects

This page provides a detailed history of deployments, including the package name, version, status, and deployment details. The table includes columns for Package Name, Version, Status, Package Type, Package Size, and Deployment Date. The deployments are listed in a table format, allowing for easy comparison and management.

Deployments · history and traceability

Package management with real objects from your FUSER libraries

Dashboard with real-time deployment status

Full history: who, what, when and the result of every deployment

ADVANTAGES

Why Natural teams choose nsdeploy



Removes human error

The whole pipeline —compile, transfer, deploy— is automated and repeated identically every time; goodbye to loose commands and forgotten steps.



Full traceability

Every deployment is recorded with code, executor, dates, duration, full log and cancellation reasons. Audit-ready at any review.



Frictionless multi-environment

DEV, TST, PRD and UAT with independent Natural configuration (FUSER, DIRDEV, catalogation, buffer pools and notifications) in a single UI.



Security by design

RBAC with users, groups and roles with granular permissions; secure sessions, encrypted passwords and managed SSH keys. Only the authorised, only who can.



Faster and more reliable

One-click deployments from the web: search packages by name, description or ticket, clear states and frictionless retries.



Low operating cost

No complex training required: the UI guides every step, generates the SYSOBJH files and emails the result of every deployment.

HOW IT WORKS

A complete flow, from library to environment

01

Create the package

Automatic name and ticket, source environment and description. Objects are picked from the real FUSER browser.

02

Generate the SYSOBJH files

One click prepares the load file (punch) and the transfer script with the package modules.

03

Deploy to the environment

Choose the target (TST, PRD...), load type and catalogation. The system imports, cleans buffer pools and catalogs.

04

Follow every step


Live deployment log: import, load report, per-module catalogation and buffer pool refresh.

05

Notify and audit

Automatic email with the result and per-module detail; immutable history on the dashboard.

Nacarsoft Soluciones Informáticas S.L. · nacarsoft.com



Programs, subprograms, maps, DDMs, copycodes: any Natural object type
Packages can be cloned to reuse selections and cancelled with a recorded reason

BENEFITS

Measurable results from day one

1 click

to deploy a complete package

3 environments

DEV → TST → PRD managed from a single UI

100%

traceability of every deployment and action

2 languages

EN and ES with 7 visual themes

Fewer errors · Automated pipeline · Full traceability · Multi-environment from day 1

READY TO MODERNIZE YOUR DEPLOYMENTS?

nsdeploy · Natural Software Deploy

CONTACT US →

